

Material Safety Data Sheet

Product: R-8471 AK-2 Sulfuric Acid Titrating Solution (<100ppm drop factor)

Date of Preparation: 6/08

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: R-8471 AK-2 Sulfuric Acid Titrating Solution
Chemical Formula: Analytical Testing Reagent for Laboratory or Field Use

Sold By:	Manufacturer: QualiChem Technologies 885 Woodstock Rd. Roswell, GA 30075 Emergency Response No.: 800-424-9300 CHEMTREC®
----------	--

Section 2 - Composition/Information on Ingredients

Ingredient Name	CAS Number	% wt or % vol	OSHA PEL TWA STEL	ACGIH TLV TWA STEL	Other
Sulfuric Acid	7664939	0-5	1mg/m3		
Non Hazardous Ingredients Total		95-100 100			

Section 3 - Hazards Identification

+ + + + Emergency Overview + + + +

HMIS

1	HEALTH
0	FLAMMABILITY
0	REACTIVITY
C	PROTECTIVE EQUIPMENT

+Sec.8

Potential Health Effects

Primary Entry Routes: Eye and Skin Contact.

Acute Effects: Irritation to eyes and skin.

Inhalation: High mist concentrations can cause irritation of eyes, nose, throat and lungs.

Eye: Irritation and/or burning sensation to eyes.

Skin: Prolonged or repeated contact may cause skin irritation.

Ingestion: Material is possibly harmful if swallowed.

Carcinogenity: IARC, NTP, and OSHA do not list this product or its components as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: No specific information provided on compounds at date of issue.

Chronic Effects: No studies have been conducted for this product

Section 4 - First Aid Measures

Inhalation: Remove to fresh air. Call a physician if any difficulties persist.

Eye Contact: Flush eyes with a large amount of water for 15 minutes. Seek medical attention immediately if any irritation persists. After first aid, get appropriate in-plant, paramedic or community medical support.

Skin Contact: Wash affected areas thoroughly with soap and water for at least 15 minutes. Seek medical attention if any irritation persists.

Ingestion: If swallowed, give 2 glasses of water to drink. DO NOT induce vomiting. After first aid, seek appropriate in-plant, paramedic, or community medical support. Never give anything by mouth to an unconscious person.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

Flash Point: Non-Flammable

Flash Point Method: Not applicable

Burning Rate: Not applicable

Auto ignition Temperature: Does not burn.

LEL: NIA

UEL: NIA

Flammability Classification: Non Flammable

Extinguishing Media: Water fog, Alcohol foam, Carbon Dioxide, Dry Chemical

Unusual Fire or Explosion Hazards: None known other than material can splatter above 100°C/212°F.

Hazardous Combustion Products: Unknown but carbon monoxide may be released on burning.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

Material Safety Data Sheet

Product: R-8471 AK-2 Sulfuric Acid Titrating Solution (<100ppm drop factor)

Section 6 - Accidental Release Measures

Spill/Leak Procedures:

Small Spills: Absorb spill with paper towel or similar absorbent; or flush to sewer or ground with large amounts of water.

Large Spills:

Containment: For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways. Absorb spill with vermiculite, oil dry or similar non-reactant absorbent.

Cleanup: Accumulate the absorbed materials and dispose of according to federal, state and local regulations.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120)

Section 7 - Handling and Storage

Handling Precautions: Use the recommended safety controls and personal protective equipment as outlined. Fully review all data before handling of the material itself. Avoid contact with skin or eyes. Avoid breathing dust or mist. Keep from contact with clothing and other combustible materials. Observe good personal hygiene and housekeeping practices.

Storage Requirements: Do not store this material near any strong acids, bases, oxidizers, flammables or any other type of reactive material. Do not expose the material to temperature extremes.

Regulatory Requirements: Store materials according to all local, state and federal guidelines which are established for non-regulated chemical products.

Section 8 - Exposure Controls/Personal Protection

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Respiratory Protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operations (cleaning spills, reactor vessel, or storage tanks), wear an SCBA. *Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.* If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9- Physical and Chemical Properties

Physical State: Liquid

Appearance and Odor: Clear liquid, no odor

Vapor Pressure: Same as water

Vapor Density (Air=1): Same as water

Specific Gravity (H₂O=1, at 4°C): 1.00+/-

pH: <7.00

Water Solubility: Complete

Other Solubilities: Not Determined

Boiling Point: 212°F

Freezing/Melting Point: Approx. 32°F

% Volatile: 95 % +/-

Evaporation Rate: 1.00

Section 10 - Stability and Reactivity

Stability: This product is stable at room temperature in closed containers under normal storage and handling conditions. However, avoid temperature extremes.

Polymerization: Hazardous polymerization will not occur.

Chemical Incompatibilities: Avoid contact with Strong Acids, Strong Alkalis, Oxidizers or any other type of reactive material.

Conditions to Avoid: Excessive temperatures, contact with any type of reactive chemicals

Hazardous Decomposition Products: There are no known hazardous decomposition products for this material unless the material is burned in which case undetermined evolution of toxic gases may occur.

Section 11 - Toxicological Information

Eye Effects: Irritation to eyes and possible burning if materials are not immediately rinsed from the eyes.

Acute Inhalation Effects: Might produce irritation to respiratory system

Skin Effects: Irritation to skin

Acute Oral Effects: Not tested for this blend

Chronic Effects: No chronic effects are known to be attributable for this product.

Carcinogenicity: No carcinogenic effects are known to be applicable for the formulation components of this product.

Mutagenicity: No mutagenic effects are known to be applicable for the formulation components of this product.

Teratogenicity: No studies have been performed.

**See NIOSH, RTECS, for additional toxicity data.

Material Safety Data Sheet

Product: R-8471 AK-2 Sulfuric Acid Titrating Solution (<100ppm drop factor)

Section 12 - Ecological Information

Ecotoxicity: No specific data is available on this product. However, for the chemical components which make up this product, there may be specific data available and in the public domain. Consult the data available for each individual raw material component.

Environmental Fate: No studies have been conducted for this specific product.

Environmental Degradation: Not tested for this product blend

Soil Absorption/Mobility: Not tested for this product blend

Section 13 - Disposal Considerations

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable federal, state and local regulations.

Disposal Regulatory Requirements:

Container Cleaning and Disposal: Triple rinse the empty containers with water before disposal to re-conditioned or land fill or garbage.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101):

Shipping Name: Non Regulated Materials

Packaging Authorizations: Q

Quantity Limitations

Hazard Class:

a) Exceptions:

a) Passenger, Aircraft or Railcar:

ID No.:

b) Cargo Aircraft Only:

Label Code: B

HMIS Label Code: 100C

Emergency Response No: None Listed

Shipping Notations:

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Product blend is not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.): Product blend is not classified.

CERCLA Hazardous Substance (40 CFR 302.4) Product blend is unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b) (4); CWA, Sec. 307 (a), CAA, Sec. 112 CERCLA Reportable Quantity (RQ): Sulfuric Acid 1,000 lb

SARA 313 Codes:

SARA Toxic Chemical (40CFR 372.65): SEE CERCLA

Sara 302/304 Extremely Hazardous Substance (40CFR 355)

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Yes

Threshold Planning Quantity (TPQ): Sulfuric Acid 10,000 lbs

OSHA Regulations:

Air Contaminant (20 CFR 1910.1000, Table Z-1, Z-1-A): See Section 2.

OSHA Specifically Regulated Substance (29 CFR 1910.): See Section 2

State Regulations: As a product blend the materials are generally not listed. Check with your local state regulatory board for more detailed information regarding the specific components of this product.

Section 16 - Other Information

Prepared By: G. Garcia, Technical Director

Revision Notes:

USER'S RESPONSIBILITY

The information and recommendations contained herein cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation.

DISCLAIMER OF LIABILITY

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user.